

## Over-the-counter and prescription medicines are dangerous to children.

Each year, children die from finding and eating medications.



## Protect your child.

**Keep medicines out of their reach** in drawers or cabinets secured with safety locks.

**Store medication in the original container** with proper labeling and a child-resistant lid.

**Never refer to medicine as candy.** Kids like to copy what you do. *Avoid taking medicine in front of your child.*

**Make sure visitors** in the home do not leave medicine where children can find it.

**Don't keep unused medication in your home.** Ask your pharmacist or local police department about safe drug collection sites. If there are none in your area, put coffee grounds or dirt in the container and mix it with the medication. Use a marker to black out details on the label. Then seal and throw in the trash, *not down the toilet.*

**Acetaminophen (Tylenol) and cough/cold medicines are over-the-counter medicines that most often cause fatal overdoses in young children.**

## Los medicamentos recetados y de venta libre son peligrosos para los niños.

Cada año, los niños mueren por encontrar y tomar medicamentos.



## Proteja a su hijo.

Mantenga los medicamentos fuera de su alcance en cajones o gabinetes asegurados con candados de seguridad.

Guarde el medicamento en el envase original con la etiqueta y una tapa a prueba de niños.

Nunca se refiera a la medicina como un caramelo.

A los niños les gusta copiar lo que haces. Evite tomar medicamentos frente a su hijo.

Asegúrese de que los visitantes en el hogar no dejen los medicamentos donde los niños puedan encontrarlos.

No guarde medicamentos sin usar en su casa. Pregúntele a su farmacéutico o al departamento de policía local acerca de los sitios seguros de recolección de medicamentos. Si no hay ninguno en su área, coloque café molido o tierra en el recipiente y mezcle con el medicamento. Utilice un marcador para tapar los detalles de la etiqueta. Luego selle y tire a la basura, no al inodoro.

**El acetaminofeno (Tylenol) y los medicamentos para la tos/el resfriado son medicamentos de venta libre que con mayor frecuencia causan sobredosis fatales en niños pequeños.**